

Primers/Cleaners

- Water Based Primers..... 08
- Solvent Based Primers 11
- Epoxy Primers 15
- Cleaners & Solvents..... 18



WATER BASED PRIMERS

ASA Multiprime



- General purpose primer designed for use on porous surfaces.
- Fully compatible with ASA tile adhesives and most Bostik waterproofing membranes.
- Acrylic backbone allows it to be used outdoors.

Colour	Size	Code
Opaque	1 litre	490-301
Opaque	5 litre	490-302
Opaque	20 litre	490-303

ASA Specialist Primer



- High performance aqueous primer for use on top of cured Dampfix PU and other specialist applications.

Colour	Size	Code
Purple	5 litre	490-300

Bostik Bond 'N' Cure



- Single component acrylic emulsion.
- Bostik Bond 'N' Cure is the recommended primer, bonding agent and curing compound for the range of Bostik Patchfix concrete repair systems.

Colour	Size	Code
White	1 litre	490-807
White	5 litre	490-809

CustomTech LevelQuik® Latex Primer



- Latex primer/sealer that prepares the surfaces for the application of LevelQuik® self-levelling underlayments.
- Seals porous surfaces and improves the bond of underlayments.

Colour	Size	Code
Clear	1 litre	490-711
Clear	3.78 litre	490-132

WATER BASED PRIMERS

CustomTech LevelQuik® Non Porous Primer

- A unique, solvent free primer specifically designed for use on metallic, smooth, dense and non-porous surfaces.

Colour	Size	Code
Maroon	1.2 litre	490-130
Maroon	4 litre	490-131



ECO Systems Eco Prep n Prime

- A unique, solvent free primer specifically designed for use on metallic, smooth, dense and non-porous surfaces.

Colour	Size	Code
Green	1.2 litre	490-710
Green	4 litre	490-242
Green	10 litre	490-240



Globalcote Primecote Sealer/Primer

- The Primecote Sealer Primer has been designed to seal and prime surfaces and enhance the adhesion of the Elastacote Membrane.
- Primecote Sealer Primer is a water based 100% acrylic sealer primer supplied as a milky substance.
- When dried the solution appearance becomes a clear film.

Colour	Size	Code
Clear	15 litre	490-812



Mapei Primer G

- Resin based primer in water dispersion for treating porous surfaces prior to installing levelling compounds, waterproofing, ceramic tiles and stone materials with cementitious adhesives.

Colour	Size	Code
Light Blue	5 kg	490-705
Light Blue	25 kg	490-706



WATER BASED PRIMERS

Mapei ECO Prim T



- Solvent free acrylic primer for interiors to improve adhesion of levelling compounds on all absorbent and non absorbent surfaces.

Colour	Size	Code
White	5 kg	490-826

Soprema Elastocol Stick H²O Primer



- Polymer emulsion based primer designed to improve adhesion of self adhesive membranes on most substrates.

Colour	Size	Code
Blue	19 litre	490-250

Soprema Elastocol 350



- Elastocol 350 is a stabilised bituminous emulsion (water based). It is used as a primer for waterproofing membranes, to enhance adhesion of torch-applied and self-adhesive membranes on most surfaces.
- It should be used in areas where solvent-based primers are not recommended.

Colour	Size	Code
Dark Brown	19 litre	490-253

Waterproofing Products Australia WPA 360



- Single part fast drying water based primer which creates a bond between most common building substrates and acrylic membrane systems.

Colour	Size	Code
Opaque	4 litre	490-002
Opaque	15 litre	490-003

SOLVENT BASED PRIMERS

Bostik N40 Primer

- A clear non-staining, solvent based primer/cleaner for promoting the adhesion of polyurethane sealants, acrylic sealants and waterproof membrane systems to non porous substrates such as rigid plastics and most metals.
- Fast drying.
- High bond strength.
- One-part, no mixing required.



Colour	Size	Code
Clear	1 litre	490-241

Bostik N49 Primer

- Designed for use with the range of Bostik polyurethane sealants to ensure adhesion to porous substrates such as concrete and masonry.



Colour	Size	Code
Clear	1 litre	490-248
Clear	4 litre	490-247

Plumb-Weld Priming Fluid

It is a solvent based fluid formulated for cleaning and priming of PVC pipes and fittings prior to application of Plumb-Weld PVC Solvent Cements.

Recommended Uses:

- Use prior to application of both Type N & P Plumb-Weld PVC Pipe Cements.



Colour	Size	Code
Red	250 ml	490-294
Red	500 ml	490-295
Red	1 litre	490-296



SOLVENT BASED PRIMERS

Plumb-Weld PVC Cement Type N



It is a specially formulated welding cement for jointing unplasticized PVC (PVC-U) pipes and fittings in non-pressure piping systems. It can also be used for jointing PVC-U pipes to ABS fittings in non-pressure piping systems.

Recommended Uses

- Generally recommended for jointing pipes 100mm or less in diameter.
- Jointing PVC-U pipes to PVC-U fittings in non-pressure plumbing applications.
- Jointing PVC-U pipes to ABS fittings in non-pressure plumbing applications.
- Commercial and domestic drainage applications: storm water and sewerage drainage systems.
- Jointing PVC-U conduits in electrical applications, bonding PVC-U sheets.

Colour	Size	Code
Blue	250 ml	490-294
Blue	500 ml	490-295
Blue	1 litre	490-296



CustomTech LevelQuik® Vapour Barrier & Densifier

- Solvent free, one component, moisture curing polyurethane resin primer and slab/screed densifier that can be used as a vapour barrier protective coating against rising vapour, negative moisture pressure and also as a surface stabiliser.
- For use over screeds, concrete, masonry and general cementitious surfaces.

Colour	Size	Code
Yellow	4 litre	490-126
Yellow	20 litre	490-127



Mapei Aquaflex Primer

- A synthetic resin in solvent solution based compound which, thanks to its high wetting property, penetrates into the damaged material binding the fibres to each other and to the cement matrix.
- This avoids dispersion into the atmosphere and forms an anchoring base for the next encapsulating layer.

Colour	Size	Code
Grey	5 kg drum	490-154



Sika Primer I/202

- Sika Primer I/202 is used to promote adhesion to clean, sound dry concrete, masonry and wood prior to bonding or sealing with Sika Flex products.

Colour	Size	Code
Yellow	250 ml	490-708
Yellow	1 litre	490-707

SOLVENT BASED PRIMERS

Soprema Elastocol 500 Primer

- It is a primer made with SBS modified bitumen, fast-evaporating solvents and adhesive enhancing additives. It is used to prime most surfaces such as concrete, metal and wood substrates in order to improve the adhesion of torch-applied waterproofing membranes.

Colour	Size	Code
Black	19 litre	490-226



Soprema Sopradhere Primer

- Solvent based bituminous primer used to improve the adhesion of torch applied SBS and APP waterproofing membranes.

Colour	Size	Code
Black	19 litre	490-227



Soprema Antirock Primer

- A blend of SBS modified bitumen, fast evaporating solvents and adhesive enhancing additives.
- It is used to prime concrete and metal surfaces on civil engineering structures in order to improve the adhesion of torch applied Antirock waterproofing membranes.

Colour	Size	Code
Black	19 litre	490-255



Soprema Elastocol Stick Primer

- Designed to enhance adhesion of self adhesive membranes on porous surfaces.
- Also suitable to prime non porous surfaces such as concrete, fibre cement, metal and wood.

Colour	Size	Code
Red	19 litre	490-249



SOLVENT BASED PRIMERS

Soprema Elastocol Stick Zero Primer



- Leed® compliant (IEQ credit 4) primer designed to enhance adhesion of self-adhesive membranes on various substrates in environments where little or no fumes and odours are required.

Colour	Size	Code
Red	19 litre	490-251

Soprema Alsan Trafik HP510 Zero



- A single component primer without volatile organic compounds (VOC's) composed of polyurethane resin, which is used to prime substrates such as concrete and plywood.

Colour	Size	Code
Transparent	19 litre	490-256

Soprema Alsan Trafik HP510 LO



- A low odour formulation of Trafik HP510 Zero.

Colour	Size	Code
Transparent	19 litre	490-254

WPA SB Sovent Based Primer



- WPA SB Primer is a clear fast drying solvent based primer with good penetrating properties.
- It's designed to assist in gaining adhesion on powdery substrates and provides excellent adhesion for subsequent coatings and membranes.
- Recommended for new or old concrete, brick and block work, compressed cement sheeting, villaboard, timber and as a primer for acrylic coatings

Colour	Size	Code
Clear	4 litre	490-404
Clear	20 litre	490-006

EPOXY PRIMERS

Aqua Blok Moisture Seal

- Aqua Blok Moisture Seal is a two part, water based epoxy designed as a vapour barrier to prevent water seepage in most building and construction applications.
- Aqua Blok Moisture Seal prevents rising damp and continual seepage, resists grease, oil, detergent and most mild chemicals.
- Ideal for retaining walls, concrete tanks, lift wells and troughs.
- This product can be used as a primer before the application of Aqua Blok liquid applied waterproofing membranes.
- It is emulsified in water to produce a low VOC product that is ideal for use in confined spaces.



Colour	Size	Code
Light Grey	8 litre	490-200
Light Grey	20 litre kit	490-201

Bostik Moisture Seal Water Vapour Barrier

- Two part water based epoxy moisture and vapour barrier formulated to prevent water seepage and permeation in building and construction substrates.
- Hydrostatic resistance of 25 metres.
- Provides excellent adhesion on recommended substrates.
- AS4020 potable water approved.



Colour	Size	Code
Grey	10 litre kit	470-227

Bostik Ultra NP Primer

- A high performance two component synthetic resin based epoxy primer especially for use on non-porous substrates.



Colour	Size	Code
Green	4 litre kit	490-244

EPOXY PRIMERS

Custom Tech LevelQuik™ Moisture Seal



- Two part, water-based epoxy which chemically cures to form a tough, waterproof vapour barrier that prevents rising damp and continual seepage.
- Can be used over damp concrete and screeds prior to the application of LevelQuik™ self levelling underlayments.

Colour	Size	Code
Grey	4 litre kit	490-128
Grey	20 litre kit	490-129

Mapei® Biblock



- Two part epoxy primer to improve adhesion on difficult substrates and as a vapour barrier on green concrete.

Colour	Size	Code
Amber	5 kg kit	472-230

Mapei® Mapeprim SP



- A two component, synthetic-resin based primer which ensures perfect bonding with smoothing levelling compounds and cementitious mortars on non-porous substrates.

Colour	Size	Code
Light Blue	4 kg kit	490-152
Light Blue	8 kg kit	490-153

Soprema Trafik EP 110



- Alsan Trafik EP 110 is a low VOC and low odour two component epoxy primer.
- It is used with the Alsan Trafik HP 500 system where it provides a fast curing vapour barrier.
- Alsan Trafik EP 110 is also used as a junction where the Alsan Trafik HP 500 system meets a SOPREMA bituminous membrane.

Colour	Size	Code
Amber	3.75 litre kit	490-257

EPOXY PRIMERS

Waterproofing Products Australia WPA 460

- WPA 460 is a two component water based epoxy primer used to seal concrete and masonry surfaces.
- It cures to a water resistant coating having excellent adhesion to most common building substrates.
- Recommended for priming damp surfaces, prior to applying acrylic and polyurethane membranes, dust sealing for interior concrete floors, primer for Scyon sheeting.



Colour	Size	Code
Grey	20 litre kit	490-005

Waterproofing Products Australia WPA 560

- WPA 560 is a water based 2 part epoxy designed as a water and vapour proof coating under waterproofing membranes and/or adhesives.
- Convenient mixing ratio 1:1 by volume.
- Easy clean up with water, solvent free.
- Withstands hydrostatic head of water pressure up to 25 meters or 250 kPa.
- Conforms to ASTM E97 for vapour transmission.
- Conforms to AS 4020:2005 products for use in contact with drinking water.
- Excellent adhesion to building substrates including concrete, fibre cement, stone and masonry.
- Australian made.



Colour	Size	Code
Grey	20 litre kit	490-134
Grey	8 litre kit	490-135

Arundel Branch





H.B. Fuller

100% BIODEGRADABLE

CONCRETE DISSOLVER



IDEAL FOR CLEANING CONCRETE SPLASHES ON ALUMINIUM WINDOW FRAMES, PATIOS, WOODEN DECKS AND FOUNDATIONS, BUILD UP ON CONCRETE MIXERS, FORM WORK, TROWELS, SCREEDS, GLASS, TILES AND MORE!!

- **NO MURIATIC ACID**
- **NO HYDROCHLORIC ACID**
- **NO SULPHURIC ACID**
- **NO PHOSPHORIC ACID**

AVAILABLE IN 750ML, 5 LITRE, 20 LITRE

www.hbfuller.com.au

CLEANERS & SOLVENTS

H.B.Fuller Concrete Dissolver



- Attacks portland concrete completely dissolving hardened concrete to a mushy substance.
- Used to remove cured (hardened) cement, concrete, mortar, grout and stucco (any product containing Portland cement).

Description	Size	Code
H.B.Fuller Concrete Dissolver	750 ml	491-005
H.B.Fuller Concrete Dissolver	5 litre	491-006
H.B.Fuller Concrete Dissolver	20 litre	491-007

SealBoss™ R70 Pump Flush



- R70 offers many advantages over solvents on the jobsite for health and safety purposes.
- SealBoss™ R70 Pump Flush is less aggressive towards rubber and plastic parts than solvents and is safer for your pumping equipment.

Description	Size	Code
SealBoss™ R70 Pump Flush	4 litre	491-652
SealBoss™ R70 Pump Flush	18.9 litre	491-650

Soudal Sealant Remover



- A ready-to-use and fast-working spray based on Terpenes for removing hardened silicones and MS polymers.

Description	Size	Code
Soudal Sealant Remover	350gm	491-100

Solutions D-Scale



- A light Phosphoric Acid Cleaner which has a powerful blend of phosphoric acid, solvents and surfactants for removing cement and grout residues, efflorescence, rust staining and soap scum.

Description	Size	Code
Solutions D-Scale	1 litre	491-132
Solutions D-Scale	5 litre	491-133
Solutions D-Scale	20 litre	491-131

CLEANERS & SOLVENTS

Solutions Kickar Strong Acid Cleaner

- Contains a powerful blend of acids best suited for the removal of grout smear, mineral deposits, rust staining and stubborn in-ground dirt.

Description	Size	Code
Kickar Strong Acid Cleaner	1 litre	491-134
Kickar Strong Acid Cleaner	5 litre	491-135
Kickar Strong Acid Cleaner	20 litre	491-139



Solutions Mister Clean

- Cream Cleaner is an easy to use, environmentally compatible cream cleaner, safe to use on most polished stone surfaces.

Description	Size	Code
Solutions Mister Clean	1 litre	491-136
Solutions Mister Clean	5 litre	491-202
Solutions Mister Clean	20 litre	491-140



Solutions Natural Clean

- A PH Neutral Cleaner is a concentrated neutral cleaner, formulated specifically for regular use on sealed and polished surfaces.
- Biodegradable and phosphate free, Natural Clean will not damage existing sealers.

Description	Size	Code
Solutions Natural Clean	1 litre	491-137
Solutions Natural Clean	5 litre	491-138
Solutions Natural Clean	20 litre	491-141
Solutions Natural Clean	200 litre	491-142



Solutions D Grease

- Strong Alkaline Cleaner.
- Industrial strength, heavy duty alkaline cleaner specifically designed for cleaning grease, oily areas and stripping waxes and polish.

Description	Size	Code
Solutions D Grease	1 litre	491-832
Solutions D Grease	5 litre	491-833
Solutions D Grease	20 litre	491-834



CLEANERS & SOLVENTS

Solutions Eversol



- Hydrocarbon solvent used with Silacryl and Pavacryl to improve adhesion and penetration.
- Also used for clean up and as a rejuvenate for dull coatings of Silacryl and Pavacryl.

Description	Size	Code
Solutions Eversol	4 litre	491-842

Solutions Aggro Sealer/Stripper



- A specially blended, powerful formulation for the removal of a wide range of floor coatings, adhesives and graffiti.
- Aggro will not flash off like keytones and chlorinated solvents, allowing ample time to remove the dissolved coating.

Description	Size	Code
Solutions Aggro Sealer/Stripper	1 litre	491-143
Solutions Aggro Sealer/Stripper	4 litre	491-144
Solutions Aggro Sealer/Stripper	10 litre	491-145
Solutions Aggro Sealer/Stripper	20 litre	491-146

Xylene Solvent



- A specialty solvent used for thinning and stripping sealers and other solvent based products.

Description	Size	Code
Xylene Solvent	20 litre	491-023

Acetone Solvent



- An effective clean up solvent for difficult resins, waxes and adhesives.

Description	Size	Code
Acetone Solvent	20 litre	491-002