P.1-4



Safety Data Sheet REVISION DATE: JANUARY 2022

NON - Hazardous Substance, NON - Dangerous Goods Australia

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name:	WPA 360
Product Code(s):	490-002, 490-003
Synonyms:	None
Recommended Use:	Surface Primer
Supplier:	Waterproofing Products Australia Pty Ltd
Address:	PO Box 1213 Archerfield BC, Queensland 4108
Telephone numbers:	+61 (7) 3722 3700
Facsimile number:	+61 (7) 3722 3711
Email:	info@bayset.com.au
Emergency Contact:	Australian Poisons Information Centre 13 11 26

2. HAZARDS IDENTIFICATION

Statement of hazardous / dangerous nature:Non – Hazardous Substance. Non – Dangerous Goods Classification:Not classified. Risk Phrases:May cause eye irritation.

May cause skin irritation.

3. COMPOSITION INFORMATION

Chemical Name	CAS Number	Proportion
Carboxylated styrene – butadiene copolymer	Proprietary	30% - 50%
Ingredients determined to be non- hazardous	-	To 100%

<u>4. FIRST AID MEASURES</u>

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone 131 126)

Skin Contact: If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical assistance.

- Eye Contact:..... If in eyes wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.
- Notes to Physician:..... No specific treatment. Treat symptomatically.

This is a CONTROLLED document under WPA's Quality System. To obtain the most recent SDS please visit **www.bayset.com.au**



Safety Data Sheet REVISION DATE: JANUARY 2022

NON - Hazardous Substance, NON - Dangerous Goods Australia

5. FIRE FIGHTING MEASURES

6. ACCIDENTAL RELEASE MEASURES

Small Spills:	Wear protective equipment to prevent skin and eye contamination. Avoid inhalation of vapours. Wipe up with absorbent (clean rag or paper towels). Allow absorbent to dry before disposing with normal household garbage. Collect and seal in properly labelled containers or drums for disposal.
Large Spills:	Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. If contamination of sewers or waterways has occurred advise local emergency services. Dispose of cured product in to land-fill.

Precautions for clean-up crew:......Slippery when spilt. Avoid accidents, clean up immediately.

7. HANDLING AND STORAGE

Handling:	Employ safe lifting techniques. Wear appropriate personal protective
5	equipment. Workers should wash hands and face before eating, drinking and smoking.
Storage:	Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from incompatible materials described in Section 10. Keep containers closed when not in use - check regularly for leaks. Prevent from freezing.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

National occupational exposure limits:No value assigned for this specific material by the National Occupational Health and Safety Commission (NOHSC Australia). Engineering Measures:Use only in well ventilated areas. Natural ventilation should be adequate under normal use conditions. Keep containers closed when not in use. Personal protective equipment:Overalls, Safety Shoes, Safety Glasses, Nitrile Rubber Gloves.

This is a CONTROLLED document under WPA's Quality System. To obtain the most recent SDS please visit **www.bayset.com.au**





P. 2 - 4

P. 3 - 4



Safety Data Sheet REVISION DATE: JANUARY 2022

NON - Hazardous Substance, NON - Dangerous Goods Australia

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	.Liquid.
Colour:	.White.
Odour:	.Slight polymer odour.
Boiling Point:	.100°C approx.
Flash Point:	.Not Applicable.
Flammability Limits:	.Not Applicable.
PH:	.9.5
Specific Gravity (20°C):	.1.01
Solubility in Water:	.Dispersible in water.

10. STABILITY AND REACTIVITY

Chemical Stability:	This material is thermally stable when stored and used as directed.
Conditions to avoid:	.Elevated temperatures and sources of ignition.
Materials to avoid:	.Oxidising agents.
Hazardous decomposition	
products:	.Oxides of carbon and nitrogen, smoke and other toxic fumes.

11. TOXICOLOGICAL INFORMATION

Potential acute health effects

Inhalation:	Material may be an irritant to mucous membranes and respiratory tract.
Ingestion:	Swallowing can result in nausea, vomiting and irritation of the
	gastrointestinal tract.
Skin Contact:	Contact with skin may result in irritation.
Eye Contact:	May be an eye irritant.

12. ECOLOGICAL INFORMATION

Environmental effects:.....Avoid contaminating water ways. No data available for the product.

13. DISPOSAL CONSIDERATIONS

Refer to State/Territory Land Waste Management Authority.

14. TRANSPORT INFORMATION

Classification:Not Classified. UN No.:Not applicable.

Toxic Packaging Group:.....Not applicable.

Hazchem:.....Not applicable.

This is a CONTROLLED document under WPA's Quality System. To obtain the most recent SDS please visit **www.bayset.com.au**



P. 4 - 4



Safety Data Sheet REVISION DATE: JANUARY 2022

NON - Hazardous Substance, NON - Dangerous Goods Australia

15. REGULATORY INFORMATION

Poisons Schedule:Not applicable.

16. OTHER INFORMATION

Material Safety Data Sheets are updated frequently. Please ensure that you have a current copy. MSDS may be obtained from the following website: www.bayset.com.au

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact Waterproofing Products Australia Pty. Ltd. Waterproofing Products Australia Pty. Ltd. makes no representation as to the completeness and accuracy of the data contained in this data sheet. It is the user's obligation to evaluate and use this product safely, and to comply with all relevant Federal, State and Local Government laws and regulations. Waterproofing Products Australia Pty. Ltd. shall not be responsible for loss, damage or injury resulting from reliance upon or failure to adhere to any recommendation or information contained herein, from abnormal use of the material, or any hazard inherent in the nature of the material.

DOCUMENT CONTROL		
Product	WPA 360	
Initial Issue	July 2016	
Technical Amendment	January 2022	
Author	SR	



