

CONFLEX TILE ADHESIVE Revision Number 3

Revision date18-Apr-2022Supersedes Date:18-Apr-2022

Section 1: Identification: Produc	t identifier and chemical identity		
Product identifier			
Product Name	CONFLEX TILE ADHESIVE		
Product Code(s) 30840343 30840343			
Other means of identification			
Pure substance/mixture	Mixture		
Recommended use of the chemic	cal and restrictions on use		
Recommended use	No information available		
Uses advised against	No information available		
Details of manufacturer or impor	ter		
Supplier Bostik Australia Pty Ltd 51-71 High Street, Thomastown Victoria Australia Tel: 613 9279-9333 Fax: 613 9279-9342			
ABN: 79 003 893 838			
E-mail address	au-bostik-sds@bostik.com		
Emergency telephone number	24 hz Emergeney (1900-000-111		
Emergency telephone number	24-hr Emergency: 1800 033 111		
Section 2: Hazard(s) identification	n		
GHS Classification			
Skin corrosion/irritation Category 2 - (H315)			
Skin corrosion/irritation Serious eye damage/eye irritation		Category 2 - (H315) Category 1 - (H318)	
		Category 1 - (H317)	
Carcinogenicity Not applicable			
Carcinogenicity Specific target organ toxicity (single exposure)		Category 3 - (H335)	

Label elements

Exclamation mark Corrosion

CONFLEX TILE ADHESIVE Revision Number 3 Revision date 18-Apr-2022 Supersedes Date: 18-Apr-2022



Signal word DANGER

Hazard statements

H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H335 - May cause respiratory irritation
Repeated exposure may cause skin dryness or cracking

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace Wear protective gloves/clothing and eye/face protection Use only outdoors or in a well-ventilated area IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a doctor IF ON SKIN: Wash with plenty of water and soap Take off contaminated clothing and wash it before reuse If skin irritation or rash occurs: Get medical advice/attention IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a doctor if you feel unwell

Precautionary Statements - Storage

Store in well-ventilated place

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification

When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers.

Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease. Product dust may be irritating to eyes, skin and respiratory system. Repeated exposure may cause skin dryness or cracking.

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

Mixture

Chemical name	CAS No	Weight-%
Cement, portland, chemicals	65997-15-1	10 - <30
Carbon black	1333-86-4	0 - <10
Calcium diformate	544-17-2	0 - <10

CONFLEX TILE ADHESIVE Revision Number 3

			······	
Calcium oxide		1305-78-8	0 - <10	
Non-hazardous ingredients		Proprietary	Balance	
Section 4: First aid measures				
Emergency telephone number		Poisons Information Center, Australia: 13 11 26 Poisons Information Center, New Zealand: 0800 764 766		
Description of first aid measures				
General advice	If medical advice is neede	ed, have product container or lab	pel at hand.	
Inhalation		Remove to fresh air. Get medical attention immediately if symptoms occur. IF exposed or concerned: Get medical advice/attention.		
Eye contact	Do not rub affected area. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Consult an ophthalmologist.			
Skin contact		Brush off loose particles from skin. Remove material from skin immediately. Take off contaminated clothing and wash before reuse.		
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.			
Self-protection of the first aider	Avoid contact with skin, e 8).	yes or clothing. Wear personal p	protective clothing (see section	
Most important symptoms and eff	ects, both acute and dela	yed		
Symptoms	Burning sensation. Itching. Rashes. Hives. Causes serious eye damage. Irritating to skin. Inhalation of dust in high concentration may cause irritation of respiratory system. When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers.			
Indication of any immediate medio	cal attention and special t	reatment needed		
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.			
Section 5: Firefighting measures				
Suitable Extinguishing Media				
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.			
Unsuitable extinguishing media	No information available.			
Specific hazards arising from the chemical				
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact.			
Hazardous combustion products	Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Silicon dioxide.			
Special protective actions for fire-fighters				
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.			

Section C. Assidental release mas		
Section 6: Accidental release measures		
Personal precautions, protective equipment and emergency procedures		
Personal precautions	Avoid generation of dust. Do not get in eyes, on skin, or on clothing. Use personal protective equipment as required.	
Other information	Refer to protective measures listed in Sections 7 and 8.	
For emergency responders	Use personal protection recommended in Section 8.	
Environmental precautions		
Environmental precautions	Prevent product from entering drains. Do not allow to enter into soil/subsoil.	
Methods and material for contain	ment and cleaning up	
Methods for containment	Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Prevent dust cloud.	
Methods for cleaning up	Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust. Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust.	
Precautions to prevent secondary	<u>hazards</u>	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	
Section 7: Handling and storage,	including how the chemical may be safely used	
Precautions for safe handling		
Advice on safe handling	Ensure adequate ventilation. Avoid generation of dust. Avoid contact with skin, eyes or clothing. Use personal protection equipment. Take off contaminated clothing and wash before reuse.	
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.	
Conditions for safe storage, inclu	ding any incompatibilities	
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Keep the packing dry and well sealed to prevent contamination and absorption of humidity.	
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents. Acids. Aluminum.	
Section 8: Exposure controls and	personal protection	

Control parameters

Exposure Limits

Chemical name	Australia
Cement, portland, chemicals 65997-15-1	TWA: 10 mg/m ³
Carbon black 1333-86-4	TWA: 3 mg/m ³
Calcium oxide 1305-78-8	TWA: 2 mg/m ³

Appropriate engineering controls

Engineering controls	Showers, eyewash stations, and ventilation systems.	
Individual protection measures, such as personal protective equipment		
Eye/face protection	Tight sealing safety goggles.	
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing.	
Hand protection	Wear suitable gloves. Impervious gloves.	
Respiratory protection	Wear a respirator conforming to EN 140 with Type P2/P3 filter or better.	
Environmental exposure controls	No information available.	

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Appearance Color Odor Odor threshold	Powder No information available No information available No information available No information available	
Property	Values	R
pH	No data available	N
pH (as aqueous solution)	11 - 13	
Melting point / freezing point	Not applicable °C	
Initial boiling point and boiling	Not applicable . °C	
range		
Flash point	Not applicable . °C	
Evaporation rate	Not applicable	
Flammability	No data available	
Flammability Limit in Air		
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Vapor pressure	No data available	
Relative vapor density	No data available	
Relative density	No data available	
Water solubility	Cement based products react and	
	solidify in contact with water	
Solubility(ies)	No data available No data available	
Partition coefficient Autoignition temperature	No data available	
Decomposition temperature	No data available	
Kinematic viscosity	Not applicable .	
Dynamic viscosity	Not applicable .	
Explosive properties	No information available	
Oxidizing properties	No information available	
Other information		
Softening Point	Not relevant	
Solid content (%)	No information available	
Density	No information available	
VOC Content (%)	No informa	tion

Remarks • Method Not applicable Insoluble in water

CONFLEX TILE ADHESIVE Revision Number 3

Section 10: Stability and reactivity	1
<u>Reactivity</u>	
Reactivity	Product cures with moisture.
Chemical stability	
Stability	Keep away from Incompatible materials. Stable under recommended storage conditions.
Explosion data Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
Possibility of hazardous reactions	
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	
Conditions to avoid	Product cures with moisture.
Incompatible materials	
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents. Acids. Aluminum.
Hazardous decomposition produc	t <u>s</u>
Hazardous decomposition products	None known based on information supplied.
Section 11: Toxicological information	tion
Acute toxicity	
Information on likely routes of exp	osure
Product Information	
Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes skin irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
	gastomestina initiation, hausea, voniting and darmea.
Symptoms	Redness. Burning. May cause blindness. Itching. Rashes. Hives. May cause redness and tearing of the eyes.

-

Component Information

CONFLEX TILE ADHESIVE **Revision Number** 3

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Cement, portland, chemicals	LD50 >2000 mg/Kg (Rattus)	LD50 >2000 mg/Kg	-
Carbon black	LD50 > 8000 mg/kg (Rattus)	> 3 g/kg (Oryctolagus	> 4.6 mg/m³ (Rat)4 h
	OECD 401	cuniculus)	
Calcium diformate	=2650 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus)	-
		OECD 402	
Calcium oxide	>2000 mg/kg (Rattus)	LD50 > 2500 mg/kg	> 6.04 mg/L (Rat)4 h
		(Oryctolagus cuniculus)	- · · ·

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	May cause skin irritation. Classification based on data available for ingredients. Causes skin irritation.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes burns. Causes serious eye damage.
Respiratory or skin sensitization	May cause an allergic skin reaction.
Germ cell mutagenicity	No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia	European Union	IARC
Carbon black			Group 2B
1333-86-4			

Legend

IARC (International Agency for Research on Cancer) Group 2B - Possibly Carcinogenic to Humans

Reproductive toxicity	No information available.
STOT - single exposure	May cause respiratory irritation.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Carbon black	>10000 mg/l	>1000 mg/l	-	EC50: >5600mg/L (24h,
1333-86-4	(Desmodesmus	(Brachydanio rerio)		Daphnia magna)
	subspicatus) OECD 202	OCDE 203		
Calcium diformate	RC50 (72h) > 1000 mg/l	LC50: >=1000mg/L	-	EC50 (48h) > 1000 mg/l
544-17-2	(Pseudokirchnerella	(96h, Brachydanio rerio)		(Daphnia magna)

CONFLEX TILE ADHESIVE Revision Number 3

Revision date 18-Apr-2022 Supersedes Date: 18-Apr-2022

	subcapit	ata)			EPA-660/3-75-009	
Calcium oxide 1305-78-8	EC50 (Pseudokirch subcapitata algae)): 106 End point: Gro Exposure tin Test Type: si Method: OE0 Guideline GLP: y) nneriella (green ,02 mg/l owth rate ne: 72 h tatic test CD Test 201	LC50 96 h = 50.6 mg/L (Oncorhynchus mykiss)	EC50 (Bacteria): 229,2 mg/l Exposure time: 3 h Test Type: static test Method: OECD Test Guideline 209 GLP: yes	EC50 (48h) = 49.1 mg/l(Daphnia magna) OECD 202	
Persistence and degrada	ability					
Persistence and degradability No information available.						
Bioaccumulative potential						
Bioaccumulation		No information available.				
Mobility						
<u>Mobility</u> Mobility in soil	No	o informatio	on available.			
Mobility	No information available.					
Other adverse effects						
Other adverse effects	ther adverse effects No information available.					
Section 13: Disposal cor	nsiderations					
Disposal methods						
Waste from residues/uni products		Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.				
Contaminated packaging	g Do	Do not reuse empty containers.				
Section 14: Transport information						
ADG	No	ot regulated	d			
IATA	No	ot regulated	d			
IMDG	No	Not regulated				
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available						

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

<u>Australia</u> See section 8 for national exposure control parameters

CONFLEX TILE ADHESIVE Revision Number 3

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)No poisons schedule number allocatedPoison Schedule NumberNot applicable

International Inventories	
AIIC	Listed
NZIoC	Not Listed
ENCS	Not Listed
IECSC	Not Listed
KECL	Not Listed
PICCS	Not Listed

Legend:

AICS - Australian Inventory of Chemical Substances
 NZIOC - New Zealand Inventory of Chemicals
 ENCS - Japan Existing and New Chemical Substances
 IECSC - China Inventory of Existing Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances
 PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Europe Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

2015/863/EU - RoHS

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

Section 16: Any other relevant information				
Revision date	18-Apr-2022			
Revision Note	aines last sublication			

***Indicates updated data since last publication.

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)		
Ceiling	Maximum limit value	*	Skin designation		
C	Carcinogen		C C		
Section 11: TOXICOLOGICAL INFORMATION					

Australia - EN

LD50 (lethal dose)

CONFLEX TILE ADHESIVE Revision Number 3 Revision date 18-Apr-2022 Supersedes Date: 18-Apr-2022

Section 12: Ecological information EC50 (effective concentration)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet