



SAFETY DATA SHEET

1. Identification

Product identifier LATAPOXY 310 Stone Adhesive Part A Pail

Other means of identification None.

Recommended use of the chemical and restrictions on use

Recommended use Adhesive.

Restrictions on use Not available.

Details of manufacturer or importer

Manufacturer

Company name LATICRETE International
Address 1 Laticrete Park, N
 Bethany, CT 06524
Telephone (203)-393-0010
Contact person Steve Fine
Website www.laticrete.com
Emergency phone number Call CHEMTREC day or night
 USA/Canada - 1.800.424.9300
 Mexico - 1.800.681.9531
 Outside USA/Canada
 1.703.527.3887

Supplier

Company name LATICRETE Australia
Address P.O. Box 508
 Virginia Business Mail Centre
 29 Telford Street
 VIRGINIA QLD 4014
 Australia
Telephone (61) (7) 3865-1599
Website www.laticrete.com
Emergency phone number 1.703.527.3887

2. Hazard(s) identification

Classification of the hazardous chemical

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 1B
	Serious eye damage/eye irritation	Category 1
	Sensitization, skin	Category 1
	Reproductive toxicity	Category 2
Environmental hazards	Hazardous to the aquatic environment, long-term hazard	Category 2

Label elements, including precautionary statements

Hazard symbol(s)



Corrosion

Health
hazardExclamation
mark

Environment

Signal word

Danger

Hazard Statement(s)	Causes severe skin burns and eye damage. Causes serious eye damage. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. Toxic to aquatic life with long lasting effects.
Precautionary Statement(s)	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapour. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment.
Response	IF exposed or concerned: Get medical advice/attention. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Collect spillage.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards which do not result in classification	Not classified.
Supplemental information	None.

3. Composition/information on ingredients

Mixture

Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients
Fatty acids, tall-oil, reaction products with tetraethylenepentamine	68953-36-6	7 - 10
2-Piperazin-1-ylethylamine	140-31-8	1.5 - 2.5
4-Nonylphenol, branched	84852-15-3	1 - 3
Benzyl alcohol	100-51-6	1 - 3
Tetraethylene pentamine	112-57-2	1 - 3
m-Phenylenebis(methylamine)	1477-55-0	1 - 3
Isophorone diamine	2855-13-2	0.4 - 2

Composition comments	All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.
-----------------------------	--

4. First-aid measures

Description of necessary first aid measures	
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.
Skin contact	Take off immediately all contaminated clothing. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse. Get medical attention immediately.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical attention if any discomfort continues.
Personal protection for first-aid responders	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
Symptoms caused by exposure	Rash. Corrosive effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Medical attention and special treatment	Provide general supportive measures and treat symptomatically. Symptoms may be delayed. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical Heating may cause the release of ammonia vapors.

Special protective equipment and precautions for fire fighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.

Hazchem Code 2X

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

For emergency responders Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Environmental precautions Avoid release to the environment. Do not discharge into drains, water courses or onto the ground. Environmental manager must be informed of all major releases.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see Section 13 of the SDS.

Other issues relating to spills and releases Clean up in accordance with all applicable regulations.

7. Handling and storage

Precautions for safe handling Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapour. Do not get in eyes, on skin, on clothing. Persons susceptible for allergic reactions should not handle this product. Use with adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool and well-ventilated place. Store away from incompatible materials (see section 10 of the SDS).

8. Exposure controls and personal protection

Control parameters Follow standard monitoring procedures.

Occupational exposure limits

Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)

Components	Type	Value
m-Phenylenebis(methylamine) (CAS 1477-55-0)	Ceiling	0.1 mg/m ³

US. ACGIH Threshold Limit Values

Components	Type	Value
m-Phenylenebis(methylamine) (CAS 1477-55-0)	Ceiling	0.1 mg/m ³

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines

Australia OELs: Skin designation

m-Phenylenebis(methylamine) (CAS 1477-55-0)

Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

m-Phenylenebis(methylamine) (CAS 1477-55-0)

Can be absorbed through the skin.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, for example personal protective equipment (PPE)

Eye/face protection

Wear safety glasses with side shields (or goggles). Face-shield. Wear a full-face respirator, if needed.

Skin protection

Hand protection

Wear appropriate chemical resistant gloves.

Other

Wear appropriate chemical resistant clothing.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

Hygiene measures

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state

Solid.

Form

Paste.

Colour

Light red.

Odour

Ammonia.

Odour threshold

Not available.

pH

Not applicable.

Melting point/freezing point

Not applicable .

Initial boiling point and boiling range

Not available.

Flash point

Non flammable.

Evaporation rate

Not applicable.

Flammability (solid, gas)

Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%)

Not available.

Flammability limit - upper (%)

Not available.

Vapour pressure

Not applicable.

Vapour density

Not applicable.

Relative density

1.5 g/cm3

Solubility(ies)

Solubility (water)

Insoluble

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperature

Not available.

Decomposition temperature

Not available.

Viscosity

Not available.

10. Stability and reactivity

Reactivity

Corrosive to certain metals. Copper Aluminium. Zinc.

Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Heat, flames and sparks. Contact with incompatible materials.
Incompatible materials	Alkali metals. Oxidizing agents. Strong acids.
Hazardous decomposition products	Carbon dioxide (CO ₂). Carbon monoxide. Nitrogen oxides.

11. Toxicological information

Information on possible routes of exposure

Inhalation	May cause respiratory irritation.
Skin contact	Causes skin burns. May cause an allergic skin reaction.
Eye contact	Causes serious eye damage.
Ingestion	May cause burns of the gastrointestinal tract if swallowed.
Symptoms related to exposure	Rash. Corrosive effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Acute toxicity	May cause discomfort if swallowed.

Components	Species	Test results
2-Piperazin-1-ylethylamine (CAS 140-31-8)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	880 mg/kg
4-Nonylphenol, branched (CAS 84852-15-3)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	3160 mg/kg
<i>Oral</i>		
LD50	Rat	1300 mg/kg
Benzyl alcohol (CAS 100-51-6)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	2000 mg/kg
<i>Inhalation</i>		
LC50	Rat	> 4178 mg/m ³ , 4 hours
<i>Oral</i>		
LD50	Rat	1230 - 3100 mg/kg
Fatty acids, tall-oil, reaction products with tetraethylenepentamine (CAS 68953-36-6)		
Acute		
<i>Oral</i>		
LD50	Rat	> 2000 mg/kg
Isophorone diamine (CAS 2855-13-2)		
Acute		
<i>Oral</i>		
LD50	Rat	1030 mg/kg
m-Phenylenebis(methylamine) (CAS 1477-55-0)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	2000 mg/kg
<i>Inhalation</i>		
LC50	Rat	3.75 mg/l, 1 Hours
<i>Oral</i>		
LD50	Rat	930 mg/kg

Components	Species	Test results
Tetraethylene pentamine (CAS 112-57-2)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	0.66 g/kg
<i>Oral</i>		
LD50	Rat	2.1 g/kg
Skin corrosion/irritation	Causes severe skin burns and eye damage.	
Serious eye damage/irritation	Causes serious eye damage.	
Respiratory or skin sensitisation		
Respiratory sensitisation	No data available.	
Skin sensitisation	May cause an allergic skin reaction.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
Reproductive toxicity	Suspected of damaging fertility or the unborn child.	
Specific target organ toxicity - single exposure	No data available.	
Specific target organ toxicity - repeated exposure	No data available.	
Aspiration hazard	Not classified.	
Chronic effects	No data available.	

12. Ecological information

Ecotoxicity	Toxic to aquatic life with long lasting effects.		
Components	Species	Test results	
2-Piperazin-1-ylethylamine (CAS 140-31-8)			
Aquatic			
Fish	LC50	Fathead minnow (Pimephales promelas)	1950 - 2460 mg/l, 96 hours
4-Nonylphenol, branched (CAS 84852-15-3)			
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	0.1351 mg/l, 96 hours
		Fathead minnow (Pimephales promelas)	0.1383 mg/l, 96 hours
		Sheepshead minnow (Cyprinodon variegatus)	0.142 mg/l, 96 hours
Benzyl alcohol (CAS 100-51-6)			
Aquatic			
Fish	LC50	Fathead minnow (Pimephales promelas)	460 mg/l, 96 hours
Isophorone diamine (CAS 2855-13-2)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	14.6 - 21.5 mg/l, 48 hours
Persistence and degradability	No data is available on the degradability of this product.		
Bioaccumulative potential	No data available for this product.		
Partition coefficient			
n-octanol / water (log Kow)			
4-Nonylphenol, branched (CAS 84852-15-3)		5.71	
Benzyl alcohol (CAS 100-51-6)		1.1	
Tetraethylene pentamine (CAS 112-57-2)		1.503	
Mobility in soil	Not available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

13. Disposal considerations

Disposal methods	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

ADG

UN number	3263
UN proper shipping name	Corrosive solid, basic, organic, n.o.s. (4-Nonylphenol, branched, Tetraethylene pentamine)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	III
Environmental hazards	Yes
Hazchem Code	2X
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

RID

UN number	3263
UN proper shipping name	Corrosive solid, basic, organic, n.o.s. (4-Nonylphenol, branched, Tetraethylene pentamine)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Label(s)	8
Packing group	III
Environmental hazards	Yes
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

IATA

UN number	3263
UN proper shipping name	Corrosive solid, basic, organic, n.o.s. (4-Nonylphenol, branched, Tetraethylene pentamine)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Label(s)	8
Packing group	III
Environmental hazards	Yes
ERG Code	8L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number	3263
UN proper shipping name	CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. (4-Nonylphenol, branched, Tetraethylene pentamine)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Label(s)	8
Packing group	III
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-B
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code This substance/mixture is not intended to be transported in bulk.

General information IATA classification is not relevant as the material is not transported by air.

15. Regulatory information

Safety, health and environmental regulations

National regulations This Material Safety Data Sheet was prepared in accordance with the Australia National Code of Practice for the Preparation of Material Safety Data Sheets (NOHSC: 2011.)

High Volume Industrial Chemicals (HVIC)

Benzyl alcohol (CAS 100-51-6)	10000 - 99999 TONNES See the regulation for additional information.
Isophorone diamine (CAS 2855-13-2)	10000 - 99999 TONNES See the regulation for additional information.
m-Phenylenebis(methylamine) (CAS 1477-55-0)	10000 - 99999 TONNES See the regulation for additional information.

Importation of Ozone Depleting Substances (Customs(Prohibited imports) Regulations 1956, Schedule 10)

Not listed.

National Pollutant Inventory (NPI) substance reporting list

Not listed.

Prohibited Carcinogenic Substances

Not regulated.

Prohibited Substances (National Model Regulation for the control of Workplace Hazardous Substances, Schedule 2 NOHSC:1005 (1994) as amended)

Not listed.

Restricted Importation of Organochlorine Chemicals (Customs(Prohibited Imports) Regulations 1956, Schedule 9)

Not listed.

Restricted Carcinogenic Substances

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date 21-October-2021

Revision date -

References HSDB® - Hazardous Substances Data Bank
Registry of Toxic Effects of Chemical Substances (RTECS)

Disclaimer The information in this (M)SDS was obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty express or implied.