

This safety data sheet was created pursuant to the requirements of: Preparation of safety data sheets for hazardous chemicals Code of Practice June 2023

FIREBAN ACRYLIC LIMESTONE

Revision Number 1.01

Revision date 02-Mar-2025 Supersedes date 31-Mar-2020

Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name FIREBAN ACRYLIC LIMESTONE

Product Code(s) 30615089 30615089

Other means of identification

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Sealant

Uses advised against No information available.

Details of manufacturer or importer

<u>Supplier</u> <u>Manufacturer</u>

Bostik Australia Pty Ltd Bostik Malaysia Sdn Bhd.

51-71 High Street, Lot 112 & 113,

Thomastown Victoria Kawasan Perindustrian senawang, Australia seremban, negeri sembilian, Malaysia

Tel: 613 9279-9333 Tel: 606-6789788 Fax: 613 9279-9342 Fax: 606-6789766

ABN: 79 003 893 838

E-mail address au-bostik-sds@bostik.com

Emergency telephone number

Emergency telephone number 24-hr Emergency: 1800 033 111

Section 2: Hazard(s) identification

GHS Classification

Reproductive toxicity Category 2 - (H361)

Label elements

Health hazard



Signal word

Australia - EN Page 1 / 10

FIREBAN ACRYLIC LIMESTONE

Revision date 02-Mar-2025 **Revision Number** 1.01 Supersedes date 31-Mar-2020

WARNING

Hazard statements

H361 - Suspected of damaging fertility or the unborn child

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Wear protective gloves, protective clothing, eye protection and face protection

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

Polymerizes with evolution of heat.

Harmful to aquatic life with long lasting effects.

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Not applicable **Poison Schedule Number**

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

Mixture

Chemical name	CAS No.	Weight-%
Hexaboron dizinc undecaoxide	12767-90-7	3 - 7
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	55965-84-9	<0.1
Non-hazardous ingredients	Proprietary	Balance

Section 4: First aid measures

Emergency telephone number Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air.

Eye contact In case of accidental eye contact avoid concurrent exposure to the sun or other sources

of UV light which may increase the sensitivity of the eyes.

Skin contact In case of accidental skin contact avoid concurrent exposure to the sun or other sources

of UV light which may increase the sensitivity of the skin.

Ingestion Small amounts of toxic methanol are released by hydrolysis.

Most important symptoms and effects, both acute and delayed

Australia - EN Page 2 / 10

FIREBAN ACRYLIC LIMESTONE

Revision date 02-Mar-2025 **Revision Number** 1.01 Supersedes date 31-Mar-2020

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon Note to physicians

curing.

Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media CO2, dry chemical, dry sand, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

Specific hazards arising from the chemical

Specific hazards arising from the Hazardous polymerization may occur. Containers may explode when heated.

chemical

Special protective actions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

precautions for fire-fighters gear. Use personal protection equipment.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

For emergency responders Use personal protection recommended in Section 8. Remove all sources of ignition.

Ventilate the area.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not allow to

enter into soil/subsoil.

Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Use a non-combustible material like Methods for containment

vermiculite, sand or earth to soak up the product and place into a container for later

disposal.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact

with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove

contaminated clothing and shoes.

Do not eat, drink or smoke when using this product. Wash hands before breaks and General hygiene considerations

Australia - EN Page 3 / 10

FIREBAN ACRYLIC LIMESTONE

Revision date 02-Mar-2025 **Revision Number** 1.01 Supersedes date 31-Mar-2020

immediately after handling the product.

Conditions for safe storage, including any incompatibilities

Store locked up. Protect from sunlight. Store in a well-ventilated place. Do not freeze. **Storage Conditions**

Keep away from open flames, hot surfaces and sources of ignition. Keep out of the reach

of children.

Recommended storage

temperature

Keep at temperatures between 41 and 77 °F / 5 and 25 °C.

Exothermic reaction with. radical initiators. Peroxides. Bases. Finely powdered metals. Incompatible materials

Reducing agent.

Section 8: Exposure controls and personal protection

Working area parameters, subject to mandatory control (MAC or TSEL)

Exposure Limits Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing. This product contains titanium dioxide in a non-respirable form. Inhalation of

titanium dioxide is unlikely to occur from exposure to this product.

Chemical name	Australia
Methyl alcohol	TWA: 200 ppm
67-56-1	TWA: 262 mg/m ³
	STEL: 250 ppm
	STEL: 328 mg/m ³

Appropriate engineering controls

Engineering controls Showers, eyewash stations, and ventilation systems.

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin and body protection Wear suitable protective clothing.

Hand protection For operations where prolonged or repeated skin contact may occur, impervious gloves

should be worn. Wear suitable gloves.

Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Organic gases Respiratory protection

and vapors filter conforming to EN 14387.

Environmental exposure controls No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid Paste **Appearance** Color Gray Odorless Odor **Odor threshold** Not applicable

Australia - EN Page 4 / 10

FIREBAN ACRYLIC LIMESTONE

Revision date 02-Mar-2025 **Revision Number** 1.01 Supersedes date 31-Mar-2020

non-polar/aprotic

Property Values Remarks • Method

рΗ Not applicable Substance/mixture is

pH (as aqueous solution) No data available Melting point / freezing point No data available Initial boiling point and boiling No data available

range

> 100 °C Flash point **Evaporation rate** No data available Flammability No data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

No data available Vapor pressure Relative vapor density No data available Relative density No data available Water solubility No data available Solubility(ies) No data available Partition coefficient No data available Autoignition temperature No data available **Decomposition temperature** No data available Kinematic viscosity No data available No data available **Dynamic viscosity Explosive properties** No information available **Oxidizing properties** No information available

Other information

Solid content (%) 84.5

Liquid Density No information available

No information available **VOC** content

Section 10: Stability and reactivity

Reactivity

Product reacts / cures under exposure of light. Reactivity

Chemical stability

Stability Stable under recommended storage conditions.

Explosion data

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid UV-radiation/sunlight.

Incompatible materials

Incompatible materials Exothermic reaction with. radical initiators. Peroxides. Bases. Finely powdered metals.

Reducing agent.

Australia - EN Page 5 / 10

FIREBAN ACRYLIC LIMESTONE

Revision date 02-Mar-2025 **Revision Number** 1.01 Supersedes date 31-Mar-2020

Hazardous decomposition products

Hazardous decomposition

Carbon monoxide, Carbon dioxide (CO2), Hydrocarbons, Small amounts of methanol

(CAS 67-56-1) are formed by hydrolysis and released upon curing.

Section 11: Toxicological information

Acute toxicity

products

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Skin contact

Based on available data, the classification criteria are not met. Ingestion

Symptoms No information available.

Numerical measures of toxicity - Product Information

The following ATE values have been calculated for the mixture

>5000 mg/kg ATEmix (oral) ATEmix (dermal) >5000 >20000 ATEmix (inhalation-gas) ATEmix (inhalation-vapor) >20 ATEmix (inhalation-dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Hexaboron dizinc undecaoxide	>5000 mg/Kg (Rattus)	>5000 mg/Kg (Oryctolagus	=
		cuniculus)	
reaction mass of	66 mg/kg (Rat)	LD50 = 8141 mg/kg (Rat)	= 0.33 mg/L (Rat) 4h
5-chloro-2-methyl-2H-isothiazo		OECD 402	
I-3-one and			
2-methyl-2H-isothiazol-3-one			
(3:1) [C(M)IT/MIT]			

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Based on available data, the classification criteria are not met. Skin corrosion/irritation

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Contains a known or suspected reproductive toxin. Classification based on data available

Australia - EN Page 6 / 10

FIREBAN ACRYLIC LIMESTONE

Revision Number 1,01

Revision date 02-Mar-2025 Supersedes date 31-Mar-2020

for ingredients. Suspected of damaging fertility or the unborn child.

Component Information			
Hexaboron dizinc undecaoxide (12767-90-7)			
Method	Species	Results	
OECD Test No. 408: Repeated Dose 90-Day	Rat	Reproductive toxicant NOAEL	
Oral Toxicity Study in Rodents	in vivo	375(female) /100 (male) mg/kg bw/day	

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Hexaboron dizinc	IC50 Selenastrum	LC50 Oncorhynchus	•	LC50 Ceriodaphnia
undecaoxide	capricornutum: 0,136 mg	mykiss: 0,169 mg		dubia: 142 mg/L/48h
12767-90-7	Zn/L/72 h	Zn/L/96h		-
reaction mass of	EC50 (72h) =0.048 mg/L	EC50 (96h) = 0.22 mg/L	-	EC50 (48h) =0.1 mg/L
5-chloro-2-methyl-2H-iso	(Pseudokirchneriella	(Oncorhynchus mykiss)		(Daphnia magna) (OECD
thiazol-3-one and	subcapitata) (OECD 201)	(OECD 211)		202)
2-methyl-2H-isothiazol-3		·		·
-one (3:1) [C(M)IT/MIT]				
55965-84-9				

Persistence and degradability

Persistence and degradability No information available.

Component Information			
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)			
Method	Exposure time	Value	Results
OECD Test No. 301B: Ready	28 days	biodegradation	Not readily biodegradable
Biodegradability: CO2 Evolution Test		_	
(TG 301 B)			

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	0.7
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	
55965-84-9	

Mobility

Mobility in soil No information available.

Australia - EN Page 7 / 10

FIREBAN ACRYLIC LIMESTONE

Revision date 02-Mar-2025 **Revision Number** 1.01 Supersedes date 31-Mar-2020

No information available. Mobility

Other adverse effects

Other adverse effects No information available.

Section 13: Disposal considerations

Disposal methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Handle contaminated packages in the same way as the product itself. Empty containers

should be taken to an approved waste handling site for recycling or disposal.

Section 14: Transport information

ADG Not regulated

IATA Not regulated **IMDG** Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

<u>Australia</u>

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
Hexaboron dizinc undecaoxide 12767-90-7	10 tonne/yr Threshold category 1

International Inventories

Australia - EN Page 8 / 10

FIREBAN ACRYLIC LIMESTONE

Revision date 02-Mar-2025 **Revision Number** 1.01 Supersedes date 31-Mar-2020

AIIC Complies **NZIoC** Complies **ENCS** Not Listed **IECSC** Complies Not Listed **KECL PICCS** Not Listed

Legend:

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59) >=0.1%

Chemical name	SVHC candidates
Octylphenol ethoxylate 9036-19-5	X

Directive 2011/65/EU (EU RoHS 2), as amended by the Delegated Directive (EU) 2015/863 (EU RoHS 3)

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

Section 16: Any other relevant information

Prepared By Product Safety & Regulatory Affairs

Revision date 02-Mar-2025

Revision Note

SDS sections updated. 2. 14.

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

Carcinogen

Section 11: TOXICOLOGICAL INFORMATION

LD50 (lethal dose)

Section 12: Ecological information

EC50 (effective concentration)

Australia - EN Page 9 / 10

FIREBAN ACRYLIC LIMESTONE Revision Number 1,01

Revision date 02-Mar-2025 Supersedes date 31-Mar-2020

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

Australia - EN Page 10 / 10