



# SAFETY DATA SHEET

**BOSTIK 6S GLOSS WHITE**  
Revision Number 2.01

Revision date 08-Dec-2022  
Supersedes Date: 19-Aug-2019

## **Section 1: Identification: Product identifier and chemical identity**

### Product identifier

**Product Name** BOSTIK 6S GLOSS WHITE

### **Product Code(s)**

30608459  
30608459;

### Other means of identification

**Pure substance/mixture** Mixture

### Recommended use of the chemical and restrictions on use

**Recommended use** Sealant

**Uses advised against** No information available

### Details of manufacturer or importer

#### **Supplier**

Bostik Australia Pty Ltd  
51-71 High Street,  
Thomastown Victoria  
Australia  
Tel: 613 9279-9333  
Fax: 613 9279-9342

#### **Manufacturer**

Bostik Australia Pty Ltd  
51-71 High Street,  
Thomastown Victoria  
Australia  
Tel: 613 9279-9333  
Fax: 613 9279-9342

**ABN:** 79 003 893 838

**ABN:** 79 003 893 838

**E-mail address** au-bostik-sds@bostik.com

### Emergency telephone number

Emergency telephone number 24-hr Emergency: 1800 033 111

## **Section 2: Hazard(s) identification**

### GHS Classification

<b>Skin sensitization</b>	Category 1 - (H317)
<b>Carcinogenicity</b>	Category 2 - (H351)
<b>Reproductive toxicity</b>	Category 1B - (H360D)
<b>Specific target organ toxicity (single exposure)</b>	Not applicable

### Label elements

Health hazard

# SAFETY DATA SHEET

BOSTIK 6S GLOSS WHITE  
Revision Number 2.01

Revision date 08-Dec-2022  
Supersedes Date: 19-Aug-2019



**Signal word**  
WARNING

## Hazard statements

H351 - Suspected of causing cancer  
H317 - May cause an allergic skin reaction  
H360Df - May damage the unborn child. Suspected of damaging fertility

## Precautionary Statements - Prevention

Obtain special instructions before use  
Do not handle until all safety precautions have been read and understood  
Wear protective gloves/clothing and eye/face protection  
Do not breathe dust/fume/gas/mist/vapors/spray  
Wash face, hands and any exposed skin thoroughly after handling  
Do not eat, drink or smoke when using this product

## Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention  
IF exposed or concerned: Call a POISON CENTER or doctor

## Precautionary Statements - Storage

Store locked up

## Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

## Other hazards which do not result in classification

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.  
Small amounts of 2-butanone, oxime (CAS 96-29-7) are formed by hydrolysis and released upon curing.  
May be harmful if swallowed.  
May be harmful in contact with skin.  
Causes mild skin irritation.

## Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

**Poison Schedule Number** Not applicable

## Section 3: Composition and information on ingredients, in accordance with Schedule 8

### Substance

Not applicable

### Mixture

Chemical name	CAS No	Weight-%
2-Butanone, O,O',O''-(methylsilylydyne)trioxime	22984-54-9	0 - <10
2-Butanone, oxime	96-29-7	0 - <10
N-(3-(trimethoxysilyl)propyl)ethylenediamine	1760-24-3	0 - <10
Non-hazardous ingredients	Proprietary	Balance

## Section 4: First aid measures

**Emergency telephone number** Poisons Information Center, Australia: 13 11 26

# SAFETY DATA SHEET

BOSTIK 6S GLOSS WHITE  
Revision Number 2.01

Revision date 08-Dec-2022  
Supersedes Date: 19-Aug-2019

Poisons Information Center, New Zealand: 0800 764 766

## Description of first aid measures

<b>General advice</b>	Show this safety data sheet to the doctor in attendance. If medical advice is needed, have product container or label at hand.
<b>Inhalation</b>	Remove to fresh air. If symptoms persist, call a physician.
<b>Eye contact</b>	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Consult an ophthalmologist.
<b>Skin contact</b>	Wash off immediately with plenty of water for at least 15 minutes. If symptoms persist, call a physician.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with water. Drink 1 or 2 glasses of water. Do NOT induce vomiting.

## Most important symptoms and effects, both acute and delayed

**Symptoms** None known.

## Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

## **Section 5: Firefighting measures**

### Suitable Extinguishing Media

**Suitable extinguishing media** Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam.

**Unsuitable extinguishing media** Full water jet.

### Specific hazards arising from the chemical

**Specific hazards arising from the chemical** Thermal decomposition can lead to release of irritating gases and vapors.

**Hazardous combustion products** Carbon dioxide (CO<sub>2</sub>). Nitrogen oxides (NO<sub>x</sub>). Silicon oxides.

### Special protective actions for fire-fighters

**Special protective equipment and precautions for fire-fighters** Wear self contained breathing apparatus for fire fighting if necessary.

## **Section 6: Accidental release measures**

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Do not get in eyes, on skin, or on clothing. Use personal protective equipment as required. Ensure adequate ventilation.

**Other information** Refer to protective measures listed in Sections 7 and 8.

**For emergency responders** Use personal protection recommended in Section 8.

### Environmental precautions

**Environmental precautions** Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

# SAFETY DATA SHEET

BOSTIK 6S GLOSS WHITE  
Revision Number 2.01

Revision date 08-Dec-2022  
Supersedes Date: 19-Aug-2019

12 for additional Ecological Information.

## **Methods and material for containment and cleaning up**

**Methods for containment** Do not scatter spilled material with high pressure water streams.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

## **Precautions to prevent secondary hazards**

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## **Section 7: Handling and storage, including how the chemical may be safely used**

### **Precautions for safe handling**

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Take off contaminated clothing and wash it before reuse.

### **Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Protect from moisture. Keep away from food, drink and animal feeding stuffs.

**Recommended storage temperature** Keep at temperatures between 50 and 95 °F / 10 and 35 °C.

**Incompatible materials** Strong oxidizing agents.

## **Section 8: Exposure controls and personal protection**

### **Control parameters**

**Exposure Limits** Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

### **Appropriate engineering controls**

**Engineering controls** Showers, eyewash stations, and ventilation systems.

### **Individual protection measures, such as personal protective equipment**

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear suitable protective clothing.

**Hand protection** Wear suitable gloves.

**Respiratory protection** Organic gases and vapors filter conforming to EN 14387. White. Brown.

**Environmental exposure controls** Do not allow into any sewer, on the ground or into any body of water.

## **Section 9: Physical and chemical properties**

### **Information on basic physical and chemical properties**

**Physical state** Paste / Gel Liquid

# SAFETY DATA SHEET

BOSTIK 6S GLOSS WHITE  
Revision Number 2.01

Revision date 08-Dec-2022  
Supersedes Date: 19-Aug-2019

Appearance Viscous Paste  
Color White  
Odor Organic  
Odor threshold No information available

Property	Values	Remarks • Method
pH	No data available	Not applicable Insoluble in water
pH (as aqueous solution)	No data available	
Melting point / freezing point	No data available	
Initial boiling point and boiling range	No data available	
Flash point	No data available	
Evaporation rate	No data available	
Flammability	Not applicable for liquids	
Flammability Limit in Air		
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	
Relative vapor density	No data available	
Relative density	1.01	
Water solubility	Insoluble in water	
Solubility(ies)	No data available	
Partition coefficient	No data available	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Kinematic viscosity	No data available	
Dynamic viscosity	150000 - 250000 mPa s	@ 25 °C
Explosive properties	No information available	
Oxidizing properties	No information available	

## Other information

Solid content (%) No information available  
Density No information available  
VOC content No information available

## **Section 10: Stability and reactivity**

### Reactivity

Reactivity Product cures with moisture.

### Chemical stability

Stability Stable under normal conditions.

### Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

### Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

### Conditions to avoid

Conditions to avoid Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and sources of ignition.

# SAFETY DATA SHEET

BOSTIK 6S GLOSS WHITE  
Revision Number 2.01

Revision date 08-Dec-2022  
Supersedes Date: 19-Aug-2019

## Incompatible materials

**Incompatible materials** Strong oxidizing agents.

## Hazardous decomposition products

**Hazardous decomposition products** May emit toxic fumes under fire conditions. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

## **Section 11: Toxicological information**

### Acute toxicity

### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Based on available data, the classification criteria are not met.

**Eye contact** Based on available data, the classification criteria are not met.

**Skin contact** Specific test data for the substance or mixture is not available. Causes mild skin irritation. May be harmful in contact with skin.

**Ingestion** May be harmful if swallowed.

**Symptoms** Prolonged contact may cause redness and irritation.

### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document mg/kg  
**ATEmix (inhalation-dust/mist)** 100.00 mg/l

**Oral LD50** > 2009 mg/kg (rat)  
**Dermal LD50** > 2009 mg/kg (rat)

### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2-Butanone, O,O',O''-(methylsilylidyne)trioxi me	LD50 = 2463 mg/Kg (Rattus) (OECD 401)	LD50 >2000 mg/Kg (Rattus) (OECD 402)	-
2-Butanone, oxime	=100 mg/kg (ATE)	1000 - 1800 mg/kg (Oryctolagus cuniculus)	>4.83 mg/L (Rattus) 4 h
N-(3-(trimethoxysilyl)propyl)eth ylenediamine	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44 mg/L air

See section 16 for terms and abbreviations

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Classification based on data available for ingredients. Causes mild skin irritation.

**Serious eye damage/eye irritation** No information available.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

# SAFETY DATA SHEET

**BOSTIK 6S GLOSS WHITE**  
Revision Number 2.01

Revision date 08-Dec-2022  
Supersedes Date: 19-Aug-2019

**Carcinogenicity** Contains a known or suspected carcinogen. Classification based on data available for ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia	European Union	IARC
2-Butanone, oxime 96-29-7	Carc. 2	Carc. 1B	
Component Information			
2-Butanone, oxime (96-29-7)			
Method	Species	Results	
OECD Test No. 453: Combined Chronic Toxicity/Carcinogenicity Studies	Rat	Carcinogenic	

**Reproductive toxicity** No information available.

**STOT - single exposure** Based on the classification criteria of the Globally Harmonized System as adopted in the country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). May cause damage to organs.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

## Section 12: Ecological information

### Ecotoxicity

#### Aquatic ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
2-Butanone, O,O',O''-(methylsilylidyn e)trioxime 22984-54-9	EC50 (72h) = 94 mg/L (Pseudokirchneriella subcapitata) OECD 201	EC50 (96h) >120 mg/L (Oncorhynchus mykiss) Freshwater static (OECD guideline 203)	-	EC50 (48h) > 120 mg/L (Daphnia magna) OECD 202
2-Butanone, oxime 96-29-7	EC50: =83mg/L (72h, Desmodosmus subspicatus)	LC50: =760mg/L (96h, Poecilia reticulata) LC50: 777 - 914mg/L (96h, Pimephales promelas) LC50: 320 - 1000mg/L (96h, Leuciscus idus)	EC50 = 281 mg/L 17 h EC50 = 950 mg/L 5 min	EC50: =750mg/L (48h, Daphnia magna)
N-(3-(trimethoxysilyl)propyl)ethylenediamine 1760-24-3	-	LC50 (96H) =597 mg/L (Danio rerio) Semi-static	-	EC50 (48h) =81mg/L Daphnia magna Static

### Persistence and degradability

**Persistence and degradability** Not readily biodegradable. Product cures with moisture.

### Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

# SAFETY DATA SHEET

BOSTIK 6S GLOSS WHITE  
Revision Number 2.01

Revision date 08-Dec-2022  
Supersedes Date: 19-Aug-2019

## Component Information

Chemical name	Partition coefficient
2-Butanone, O,O',O''-(methylsilyldiyl)trioxime 22984-54-9	1.69
2-Butanone, oxime 96-29-7	0.65
N-(3-(trimethoxysilyl)propyl)ethylenediamine 1760-24-3	-0.3

### Mobility

**Mobility in soil** No information available.

**Mobility** No information available.

### Other adverse effects

**Other adverse effects** No information available.

## Section 13: Disposal considerations

### Disposal methods

**Waste from residues/unused products** Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

**Contaminated packaging** Handle contaminated packages in the same way as the product itself.

## Section 14: Transport information

**ADG** Not regulated

**IATA** Not regulated

**IMDG** Not regulated

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**  
No information available

## Section 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

##### Australia

See section 8 for national exposure control parameters

##### **Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)**

No poisons schedule number allocated

**Poison Schedule Number** Not applicable

#### International Inventories

**AIIIC** Listed

**NZIoC** Not Listed



# SAFETY DATA SHEET

**BOSTIK 6S GLOSS WHITE**  
Revision Number 2.01

Revision date 08-Dec-2022  
Supersedes Date: 19-Aug-2019

ENCS	Not Listed
IECSC	Listed
KECL	Listed
PICCS	Listed

## Legend:

**AIIC** - Australian Inventory of Industrial Chemicals  
**NZIoC** - New Zealand Inventory of Chemicals  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

## International Regulations

**The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable

**The Stockholm Convention on Persistent Organic Pollutants** Not applicable

**The Rotterdam Convention** Not applicable

## Europe

### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

#### **SVHC: Substances of Very High Concern for Authorization:**

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### **2015/863/EU - RoHS**

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

## **Section 16: Any other relevant information**

**Prepared By** Product Safety & Regulatory Affairs

**Revision date** 08-Dec-2022

#### **Revision Note**

\*\*\*Indicates updated data since last publication.

## **Key or legend to abbreviations and acronyms used in the safety data sheet**

### **Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		

### **Section 11: TOXICOLOGICAL INFORMATION**

LD50 (lethal dose)

### **Section 12: Ecological information**

EC50 (effective concentration)

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

# SAFETY DATA SHEET

**BOSTIK 6S GLOSS WHITE**  
Revision Number 2.01

Revision date 08-Dec-2022  
Supersedes Date: 19-Aug-2019

---

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**